

	W001 European Type Industrial Caster 欧款工业脚轮	1
	W002 European Type Heavy Duty Caster 欧款重型脚轮	15
	W003 European Type Light Duty Caster 欧款轻型脚轮	19
	W004 American Type Medium Duty Caster 美款中型脚轮	23
	W005 American Type Heavy Duty Caster 美款重型脚轮	39
	W005C Heavy Duty Kingpinless Caster 重型抗冲击支架脚轮	66
	W006 American Type Light Duty Caster 美款轻型脚轮	69
	W007 Light Duty Caster 轻型脚轮	71
	W008 Standard Industrial Caster 标准工业脚轮	77
	W009 Heavy Duty Caster 重型脚轮	85
	W009A Low Profile Caster 低重心脚轮	86



W009C Super Heavy Duty Caster
超重型脚轮

87



W010 Scaffolding Caster
脚手架脚轮

93



W011 Heavy Duty Stainless Steel Caster
重型不锈钢脚轮

94



W012 Phenolic Caster
酚醛脚轮

95



W013 Shock Absorber Caster
减震脚轮

97



W014 Shopping Cart Caster
购物车脚轮

99



W015 Floor Lock
顶高器

100



W016 Ladder Wheel
爬梯轮

100



W018 Leveling Caster
水平调节轮

101



W019 Hand Trolley
手推车

102



W020 Workbench Caster
工作台脚轮

106



W30 Medical Caster
医疗脚轮

107



W001 European type nylon industrial caster

欧款尼龙工业脚轮

weibida

Housing:

Made of pressed steel, zinc plated,
double ball race swivel head.

Wheel:

Material: Nylon

Bearing type: Roller bearing/Precision
double ball bearing/Plain bearing

Temperature range: -15°C ~80°C

支架:

冲压铁支架, 镀锌, 双玻盘

轮子:

材料: 尼龙

轴承类型: 滚针轴承、精密双滚珠轴承、
滑动轴承

温度范围: -15°C ~80°C



ART-NO.							
ROLLER	BALL	PLAIN		ROLLER	BALL	PLAIN	
滚针轴承	滚珠轴承	轴套		滚针轴承	滚珠轴承	轴套	
W001080RNYSW	W001080BNYSW	W001080PNYSW	80x30	12x41	15x37	8x41	100
W001100RNYSW	W001100BNYSW	W001100PNYSW	100x30	12x41	15x37	8x41	120
W001125SRNYSW	W001125SBNYSW	W001125SPNYSW	125x30	12x41	15x37	10x41	150
W001125MRNYSW	W001125MBNYSW	W001125MPNYSW	125x40	15x51	15x47	10x51	150
W001160RNYSW	W001160BNYSW	W001160PNYSW	160x45	20x61	17x57	12x61	300
W001200RNYSW	W001200BNYSW	W001200PNYSW	200x50	20x61	17x57	12x61	350

Swivel Caster 平板活动脚轮

ART-NO.										
W001080BNY	80x30	108	37	105x85x3	80x60	14x9	42x2.5	6202x2		100
W001100BNY	100x30	128	37	105x85x3	80x60	14x9	42x2.5	6202x2		120
W001125SBNY	125x30	155	37	105x85x3	80x60	14x9	42x2.5	6202x2		150
W001125MBNY	125x40	156	42	135x110x3	105x80	16x11	52x2.5	6202x2		150
W001160BNY	160x45	195	55	135x110x4	105x80	16x11	62x3	6203x2		300
W001200BNY	200x50	240	55	135x110x4	105x80	16x11	62x3	6203x2		350

Fixed Caster 平板固定脚轮

ART-NO.										
W001080BNYF	80x30	108		105x88	80x60	14x9	42x2.5	6202x2		100
W001100BNYF	100x30	128		105x88	80x60	14x9	42x2.5	6202x2		120
W001125SBNYF	125x30	155		105x88	80x60	14x9	42x2.5	6202x2		150
W001125MBNYF	125x40	156		135x113	105x80	16x11	52x2.5	6202x2		150
W001160BNYF	160x45	195		135x114	105x80	16x11	62x3	6203x2		300
W001200BNYF	200x50	240		135x114	105x80	16x11	62x3	6203x2		350

Double Brake Caster 平板双刹脚轮

ART-NO.										
W001080BNYB	80x30	108	37	105x85x3	80x60	14x9	42x2.5	6202x2		100
W001100BNYB	100x30	128	37	105x85x3	80x60	14x9	42x2.5	6202x2		120
W001125SBNYB	125x30	155	37	105x85x3	80x60	14x9	42x2.5	6202x2		150
W001125MBNYB	125x40	156	42	135x110x3	105x80	16x11	52x2.5	6202x2		150
W001160BNYB	160x45	195	55	135x110x4	105x80	16x11	62x3	6203x2		300
W001200BNYB	200x50	240	55	135x110x4	105x80	16x11	62x3	6203x2		350

W001 European type nylon industrial caster

欧款尼龙工业脚轮



weibida

Bolt Hole Swivel Caster 孔顶活动脚轮



ART-NO.							
W001080BNYD	80x30	106	37	12.5	42x2.5	6202x2	100
W001100BNYD	100x30	128	37	12.5	42x2.5	6202x2	120
W001125SBNYD	125x30	153	37	12.5	42x2.5	6202x2	150
W001125MBNYD	125x40	153	42	12.5	52x2.5	6202x2	150
W001160BNYD	160x45	191.5	55	16.5	62x3	6203x2	300
W001200BNYD	200x50	236.5	55	16.5	62x3	6203x2	350

Bolt Hole Double Brake Caster 孔顶双刹脚轮



ART-NO.							
W001080BNYDB	80x30	106	37	12.5	42x2.5	6202x2	100
W001100BNYDB	100x30	128	37	12.5	42x2.5	6202x2	120
W001125SBNYDB	125x30	153	37	12.5	42x2.5	6202x2	150
W001125MBNYDB	125x40	153	42	12.5	52x2.5	6202x2	150
W001160BNYDB	160x45	191.5	55	16.5	62x3	6203x2	300
W001200BNYDB	200x50	236.5	55	16.5	62x3	6203x2	350

Threaded Stem Swivel Caster 丝扣活动脚轮



ART-NO.							
W001080BNYT	80x30	106	37	12x25	42x2.5	6202x2	100
W001100BNYT	100x30	128	37	12x25	42x2.5	6202x2	120
W001125SBNYT	125x30	153	37	12x25	42x2.5	6202x2	150
W001125MBNYT	125x40	153	42	12x25	52x2.5	6202x2	150
W001160BNYT	160x45	191.5	55	16x40	62x3	6203x2	300
W001200BNYT	200x50	236.5	55	16x40	62x3	6203x2	350

Threaded Stem Double Brake Caster 丝扣双刹脚轮



ART-NO.							
W001080BNYTB	80x30	106	37	12x25	42x2.5	6202x2	100
W001100BNYTB	100x30	128	37	12x25	42x2.5	6202x2	120
W001125SBNYTB	125x30	153	37	12x25	42x2.5	6202x2	150
W001125MBNYTB	125x40	153	42	12x25	52x2.5	6202x2	150
W001160BNYTB	160x45	191.5	55	16x40	62x3	6203x2	300
W001200BNYTB	200x50	236.5	55	16x40	62x3	6203x2	350

Optional wheels 匹配脚轮:



Roller bearing wheel
滚针轴承脚轮
Use "R" instead of "B"
使用 "R" 代替 "B"



Plain bearing wheel
滑动轴承脚轮
Use "P" instead of "R"
使用 "P" 代替 "R"



Thread guard is optional
可带轮罩



W001 European type plastic industrial caster

欧款塑料工业脚轮

weibida

Housing:

Made of pressed steel, zinc plated, double ball race swivel head.

Wheel:

Material: Plastic

Bearing type: Roller bearing/Precision double ball bearing/Plain bearing

Temperature range: -15°C ~80°C

支架:

冲压铁支架, 镀锌, 双玻盘

轮子:

材料: 塑料

轴承类型: 滚针轴承、精密双滚珠轴承、滑动轴承

温度范围: -15°C ~80°C



ART-NO.							
ROLLER	BALL	PLAIN		ROLLER	BALL	PLAIN	
滚针轴承	滚珠轴承	轴套		滚针轴承	滚珠轴承	轴套	
W001080RPPSW	W001080BPPSW	W001080PPPSW	80x30	12x41	15x37	8x41	100
W001100RPPSW	W001100BPPSW	W001100PPPSW	100x30	12x41	15x37	8x41	120
W001125SRPPSW	W001125SBPPSW	W001125SPPPSW	125x30	12x41	15x37	10x41	150
W001125MRPPSW	W001125MBPPSW	W001125MPPPSW	125x40	15x51	15x47	10x51	150
W001160RPPSW	W001160BPPSW	W001160PPPSW	160x45	20x61	17x57	12x61	300
W001200RPPSW	W001200BPPSW	W001200PPPSW	200x50	20x61	17x57	12x61	350

Swivel Caster 平板活动脚轮



ART-NO.									
W001080RPP	80x30	108	37	105x85x3	80x60	14x9	42x2.5		100
W001100RPP	100x30	128	37	105x85x3	80x60	14x9	42x2.5		120
W001125SRPP	125x30	155	37	105x85x3	80x60	14x9	42x2.5		150
W001125MRPP	125x40	156	42	135x110x3	105x80	16x11	52x2.5		150
W001160RPP	160x45	195	55	135x110x4	105x80	16x11	62x3		300
W001200RPP	200x50	240	55	135x110x4	105x80	16x11	62x3		350

Fixed Caster 平板固定脚轮



ART-NO.									
W001080RPPF	80x30	108		105x88	80x60	14x9	42x2.5		100
W001100RPPF	100x30	128		105x88	80x60	14x9	42x2.5		120
W001125SRPPF	125x30	155		105x88	80x60	14x9	42x2.5		150
W001125MRPPF	125x40	156		135x113	105x80	16x11	52x2.5		150
W001160RPPF	160x45	195		135x114	105x80	16x11	62x3		300
W001200RPPF	200x50	240		135x114	105x80	16x11	62x3		350

Double Brake Caster 平板双刹脚轮



ART-NO.									
W001080RPPB	80x30	108	37	105x85x3	80x60	14x9	42x2.5		100
W001100RPPB	100x30	128	37	105x85x3	80x60	14x9	42x2.5		120
W001125SRPPB	125x30	155	37	105x85x3	80x60	14x9	42x2.5		150
W001125MRPPB	125x40	156	42	135x110x3	105x80	16x11	52x2.5		150
W001160RPPB	160x45	195	55	135x110x4	105x80	16x11	62x3		300
W001200RPPB	200x50	240	55	135x110x4	105x80	16x11	62x3		350

W001 European type plastic industrial caster 欧款塑料工业脚轮



weibida

Bolt Hole Swivel Caster 孔顶活动脚轮



ART-NO.							
W001080RPPD	80x30	106	37	12.5	42x2.5		100
W001100RPPD	100x30	128	37	12.5	42x2.5		120
W001125SRPPD	125x30	153	37	12.5	42x2.5		150
W001125MRPPD	125x40	153	42	12.5	52x2.5		150
W001160RPPD	160x45	191.5	55	16.5	62x3		300
W001200RPPD	200x50	236.5	55	16.5	62x3		350

Bolt Hole Double Brake Caster 孔顶双刹脚轮



ART-NO.							
W001080RPPDB	80x30	106	37	12.5	42x2.5		100
W001100RPPDB	100x30	128	37	12.5	42x2.5		120
W001125SRPPDB	125x30	153	37	12.5	42x2.5		150
W001125MRPPDB	125x40	153	42	12.5	52x2.5		150
W001160RPPDB	160x45	191.5	55	16.5	62x3		300
W001200RPPDB	200x50	236.5	55	16.5	62x3		350

Threaded Stem Swivel Caster 丝扣活动脚轮



ART-NO.							
W001080RPPT	80x30	106	37	12x25	42x2.5		100
W001100RPPT	100x30	128	37	12x25	42x2.5		120
W001125SRPPT	125x30	153	37	12x25	42x2.5		150
W001125MRPPT	125x40	153	42	12x25	52x2.5		150
W001160RPPT	160x45	191.5	55	16x40	62x3		300
W001200RPPT	200x50	236.5	55	16x40	62x3		350

Threaded Stem Double Brake Caster 丝扣双刹脚轮



ART-NO.							
W001080RPPTB	80x30	106	37	12x25	42x2.5		100
W001100RPPTB	100x30	128	37	12x25	42x2.5		120
W001125SRPPTB	125x30	153	37	12x25	42x2.5		150
W001125MRPPTB	125x40	153	42	12x25	52x2.5		150
W001160RPPTB	160x45	191.5	55	16x40	62x3		300
W001200RPPTB	200x50	236.5	55	16x40	62x3		350

Optional wheels 匹配脚轮:



Precision double ball bearing wheel

精密双滚珠轴承脚轮
Use "B" instead of "R"
使用 "B" 代替 "R"



Plain bearing wheel

滑动轴承脚轮
Use "P" instead of "R"
使用 "P" 代替 "R"



Without thread guard is optional
可不带轮罩